

DRAFT

Coastal Hazards - Tweed Development Control Plan Section B25

TWEED SHIRE COUNCIL | TOGETHER FORWARD

THIS PAGE IS BLANK

Table of Contents



1.	Introd	lucti	on	1
	1.1	Aim	of this Section	1
	1.2	Land	d to which this Section Applies	1
	1.3 Instrur		v this Section Relates to other Sections and Environmental Planning s	1
	1.4	Whe	en the Development Control Plan Came into Effect	1
	1.5	How	v to Use this Section	1
	1.6	Defi	nitions	2
2.	Bac	kgro	ound to Coastal Hazards	4
	2.1	Twe	ed Coastline Management Plan (2005)	4
	2.2	Coa	stline Management	4
3.	Dev	elop	oment Controls	6
	3.1	Imm	nediate Hazard Zone	6
	3.1.	1	Land Affected by this Part	6
	3.1.2	2	Residential, Commercial, Retail and Industrial Development	6
	3.1.3	3	Additions, Renovations, Alterations and Maintenance	6
	3.1.4	4	Car Parking	6
	3.1.	5	Other Development	6
	3.1.0	6	General	7
	3.2	2050	0 Hazard Zone	7
	3.2.	1	Land Affected by this Part	7
	3.2.2	2	Residential, Retail, Commercial and Industrial development	7
	3.2.3	3	Additions, Renovations Alterations and Maintenance	8
	3.2.4	4	Car Parking	8
	3.2.	5	Other Development	8
	3.2.0	6	General	9
	3.3	210	0 Hazard Zone	9
	3.3.1	1	Land Affected by this Part	9
	3.3.2	2	General	9
	3.4	Sub	division1	0
	3.5	Bea	ch Protection Works1	0
	3.6	Veg	etation Management	0
4.	Info	rmat	tion to be supplied with the application1	1
	4.1	Area	as seaward of the 2100 hazard line1	1

Table of Contents



4.2	DA information requirements in all hazard zones	12
4.3	Survey Details	12
4.4	Coastal Risk Management Report	12
4.5	Possible Development Scenarios	13

Figure Index

•	Land Affected by Tweed Shire Coastal Hazard Lines (for more detail refer to A)	. 3
	Schematic of Determination of Coastline Management Line	
Figure 3	Typical Requirements for Development Applications	11
Figure 4	Current Residential Development Scenario	13
Figure 5	Possible Future Residential Development Scenarios	14

Appendices

A Coastal Hazard Line Maps

1. Introduction

1.1 Aim of this Section

- To provide guidelines for the development of the land having regard to minimising the risks (a function of likelihood and consequence) associated with development on land in proximity to the Tweed Coast.
- To establish if the proposed development or activity is appropriate to be carried out, and the conditions of development consent that should be applied if it is to be carried out, having regard to the coastal hazard lines established in the Tweed Coastline Hazard Definition Study 2001 (as amended).
- To minimise the risk to life and property associated with development and building on land that is in proximity to the Tweed Coast.
- To maintain public access to public land on the Tweed Coast.

1.2 Land to which this Section Applies

This Section applies to all land within the Tweed Shire in proximity to the Tweed Coast as shown in Figure 1.

1.3 How this Section Relates to other Sections and Environmental Planning Instruments

This Section is generally consistent with the other Sections of this DCP. Where there is an inconsistency then the higher standard/requirement shall prevail.

This Section contains development objectives, provisions and guidelines in respect of existing and proposed developments generally within the Tweed Council coastal areas.

Where any inconsistency arises between this plan and any environmental planning instrument applying to the same land the provision of the environmental planning instrument prevails. An environmental planning instrument means a State Environmental Planning Policy, Regional Environmental Plan and Local Environmental Plan.

1.4 When the Development Control Plan Came into Effect

This plan is called Coastal Hazards - Tweed Development Control Plan Section B25. The DCP was adopted by Tweed Shire Council on [insert date] and came into effect on [insert date].

1.5 How to Use this Section

Where a development is proposed in respect of land to which this Section applies Council shall consider the provisions of this Section in determining the application.

Compliance with the provisions of this Section does not necessarily imply that the Council will grant consent to the application. Council must, in relation to development applications, also take into consideration those matters listed under Section 79C of the Environmental Planning and Assessment Act, 1979.

In preparing an application for development there are a number of specific steps that should be followed:


- **Step 1:** Check the zoning of the site under Tweed LEP 2000 to ensure that the proposed development is permissible and to determine what related provisions apply.
- Step 2: Establish what other Sections of this DCP or Policies apply to the site.
- **Step 3:** Follow the applicable guidelines in this Section and refer to other applicable Sections and Policies to prepare your application. It is these components that Council will use to assess any development proposal.
- Step 4: Discuss your final application with Council staff prior to lodging it. Then lodge your application.

1.6 Definitions Immediate Hazard Line is a line fixed by resolution of Council, in respect of a line shown on Figure 1. Immediate Hazard Zone land seaward from the Immediate Hazard Line as shown on Figure 1. 2050 Hazard Line is a line fixed by resolution of Council, in respect of a line shown on Figure 1. 2050 Hazard Zone land seaward from the 2050 Hazard Line and landward of the Immediate Hazard Line as shown on Figure 1. 2100 Hazard Line is a line fixed by resolution of Council, in respect of a line shown on Figure 1. 2100 Hazard Zone land seaward from the 2100 Hazard Line and landward of the 2050 Hazard Line as shown on the Figure 1. **Coastline Hazards** detrimental impacts of coastal processes on the use, capability and amenity of the coastline. The NSW Government Coastline Management Manual identifies seven coastline hazards: Beach erosion Shoreline recession • Entrance instability Sand drift Coastal inundation Slope and cliff instability Stormwater erosion. Maintenance does not include any increase in floor area or the movement of walls, replacement of one type of wall with another (such as replace a timber frame wall with brickwork), building decks, moving kitchens to other areas or changing the roof shape, pitch or height. **Major investment** in relation to building work and renovations is defined as the expenditure on improvements, changes, additions or renovations of more than 20% of the cost (or current value) of the building. The cost of the investment and the cost of the building shall be calculated by Council and shall be compared at equivalent current prices. **Professional engineer** means a person: who is a registered professional engineer in the relevant discipline who (a) has appropriate experience and competence in the relevant field; or (b) who is: i. A Corporate Member of the Institute of Engineers, Australia; or

ii. Eligible to become a Corporate Member of the Institute of Engineers, Australia, and has appropriate experience and competence in the relevant field.

Suitably qualified person means any of the following:

- (a) Professional engineer as defined above,
- (b) Licensed Builder,
- (c) Level 1, 2 or 3 Accredited Certifier (Building Surveyor), or
- (d) Registered Architect.



2. Background to Coastal Hazards

2.1 Tweed Coastline Management Plan (2005)

Tweed Shire has a 37 kilometre coastline that stretches from the border with Byron Council in the south, to the Queensland border at Point Danger in the north. For the purposes of coastal hazard planning, it includes a seaward boundary of the near-shore marine areas and a landward boundary that includes all lands likely to be impacted by coastline hazards plus relevant Crown lands.

The NSW Government Coastline Management Manual (1990) provides the management framework that requires planning factors, such as social, economic, recreational, aesthetic and ecological issues, be taken into consideration along with coastline hazard and beach amenity requirements, when making decisions regarding coastal management and development. These requirements are reinforced in the NSW Coastal Policy (1997).

The Tweed Coastline Management Plan was prepared in accordance with these guidelines and other State Government policies. The Tweed Shire Coastline Management Plan provides Council with an integrated management planning framework that aims for a balance between the long term use of the coastline and its conservation.

The coastline hazards and underlying coastal processes affecting the Tweed coast have been identified and defined by the *Tweed Shire Coastline Hazard Definition Study* (TSC, 2001). The Study delineates the landward extent of the hazard zones for the Immediate, 50 year and 100 year planning timeframes. Of the natural processes investigated, the significant issue identified and mapped for the Tweed Coastline Management Plan project is the potential for beach erosion and shoreline recession. These hazard lines and zones were updated in 2010 to account for new information on projected sea level rise. Figure 2 is a diagram showing how these lines are determined.

Following adoption of the 2001 Hazard Study, Council commissioned Umwelt Australia to develop the *Tweed Shire Coastline Management Study* and *Tweed Shire Coastline Management Plan*. The Management Plan was adopted in June 2005.

The Coastline Management Plan was developed to provide strategic and practical guidance for future management of the coastline. To achieve a more sustainable use of the Tweed coastline as a whole, it is a high priority for Council to continue its integrated planning and management of the individual beaches and the coastline reserve as well as privately owned land in proximity to the coast.

2.2 Coastline Management

Coastal erosion is a natural phenomenon of beaches. Beaches respond to environmental factors such as annual variations in the amount of sand washed down from rivers; changes in the geometry of river delta channels; and changes in the weather—especially prevailing winds, severe storms and tropical cyclones. As environmental conditions change the beach profile changes as sand is moved onshore or offshore seeking an equilibrium profile. However, in some cases there may be a trend of ongoing erosion resulting in long-term shoreline recession. (QLD DERM, 2009).

It is likely that a number of these factors will be influenced by climate change and associated sea level rise. The impact of sea level rise will most likely be experienced as more severe coastal erosion during extreme events. Eroded coastlines will increasingly fail to rebuild fully following these extreme events, resulting in permanent losses of land to the sea (QLD DERM, 2009).

Erosion from natural beach processes does not permanently affect the form of the beach and hence its value as a public asset. However, it does involve a landward shift in its location. The problems associated with beach erosion only occur once the shoreline recession threatens property. The problem is not so much that the beach is eroding but that development has occurred within the zone of natural beach fluctuations.

Urban development is expected to continue to be a major activity in proximity to the coast and needs to be carefully planned and managed to minimise impacts on coastal resources and prevent urban settlement within areas that are at risk from coastal hazards. This DCP seeks to conserve the Tweed coast by managing urban growth.




Figure 2 Schematic of Determination of Coastline Management Line

The shoreline recession allowances due to sediment loss and due to sea level rise are a function of the number of years adopted for the planning period. For the "immediate" planning period, the allowances are zero.

Source: Pittwater DCP 21 Appendix 6 Coastline Risk Management Policy for Development in Pittwater

3. Development Controls

3.1 Immediate Hazard Zone

3.1.1 Land Affected by this Part

Any development on land seaward of the Immediate Hazard Line referred to on Figure 1.

3.1.2 Residential, Commercial, Retail and Industrial Development

- Council will not permit new buildings to be constructed on land within the Immediate Hazard Zone.
- Existing buildings which have been identified as being within the Immediate Hazard Zone will not be permitted to carry out major investments in renovations except as permitted below in 3.1.3. Planned retreat of the buildings is recommended.
- A development that would require additional permanent built structures or seaward extensions to existing built structures will not be permitted.
- Development will not be permissible if it will result in people permanently living or working within the Immediate Hazard Zone unless that work is undertaken on a short-term or intermittent basis.
- Where a site has existing buildings or structures seaward of the Immediate Hazard Line and the property is the subject of a development application, Council may seek to have those structures removed, as a part of the development or redevelopment of the site.
- Any permissible development will be subject to a Coastal Risk Management Report.

3.1.3 Additions, Renovations, Alterations and Maintenance

- Additions or alterations to existing buildings must be limited to minor works only, and must be capable of swift removal or demolition if coastline hazards threaten the development.
- Any alteration, extension or re-building of a building shall be restricted to the following:
 - a. where the gross floor area of the existing building is less than 100 m² extensions that will make the gross floor area no greater than 100 m²; or
 - b. where the gross floor area of the existing building is 100 m² or more 10% of the gross floor area of the existing building at the date of commencement of this DCP.
- Renovations will be considered provided that they do not increase the risk to property or buildings or increase the level of coastline hazard to the subject land or any other land.
- Maintenance of buildings is permitted, provided that the maintenance work carried out does not change the nature of the structural element being maintained.

3.1.4 Car Parking

- Open car park areas and carports (i.e. at least three sides are open) will be considered at existing ground level.
- Basement (i.e. below natural ground level) and new enclosed garages will not be permitted.

3.1.5 Other Development

 Development that is temporary, or can be relocated or sacrificed (such as decks), non-habitable, detached, light weight structures associated with outdoor living areas, storage or landscaping may be considered within the Immediate Hazard Zone where these do not prejudice relocation of other buildings on the site.

- Other uses may be considered that by their nature have to be within the Immediate Hazard Zone. e.g. surf life saving and marine rescue observation structures, picnic tables, access structures or similar.
- Development that is of a community nature, which relates to the use of the beachfront, may be considered, provided that any structures are easily removable or sacrificial and do not require a major extension to a service main.
- Development for the purposes of coastal access stairs, fences, cycleways, walking trails, picnic facilities or other facilities will be designed to be removable (or sacrificial) in the event they are damaged by wave action, inundation from the sea, and/or erosion.

3.1.6 General

- Any suitable sand excavated during the course of building and re-development work shall have all deleterious material removed and shall be placed on the adjacent beach at a location approved by the Council. It will need to be assessed as suitable by Council and placed at no charge to Council.
- Development must be carried out in a manner that maintains the safety of the public and not damage public or private property.
- The development must not involve any physical works that will exacerbate the seven coast line hazards as defined in the NSW government Coastline Management Manual.

3.2 2050 Hazard Zone

3.2.1 Land Affected by this Part

Any development on land located seaward of the 2050 Hazard Line and landward of the immediate impact line referred to on Figure 1.

3.2.2 Residential, Retail, Commercial and Industrial development

- Any permissible development will be subject to a Coastal Risk Management Report.
- No building is to be located within 20 metres of the current erosion escarpment.
- A minimum setback of 6 metres landward from 2050 Hazard Line applies for all new development.
- If Development within the 2050 Hazard Zone is granted consent (subject to a Coastal Risk Management Report) then any consent granted will be subject to the proviso that if the erosion escarpment comes within 20 metres of any building then the use of the building will cease. A Section 88E (Conveyancing Act, 1919) instrument will be used to achieve this outcome.
- If the use of the building does cease then the owner of the land will be responsible for the removal of any
 or all buildings from the site, where possible, to a location on the site further than 20 metres from the
 erosion escarpment. As part of the development application lodged with Council, the developer of the land
 must indicate whether buildings are to be relocatable or demolished, should the use of the building cease.
 A Section 88E (Conveyancing Act, 1919) instrument will be used to achieve this outcome.
- Where vacant urban-sized lots exist that are more than 50% within this precinct, consideration may be given to the location of unregistered mobile homes as defined by the Moveable Homes and Caravan Parks Regulation. These may comprise more than one unit, but all units must be capable of separation and relocation by four wheel drive car (rather than truck) prior to damage by the sea.
- Where a site has existing buildings or structures seaward of the 2050 Hazard Line and the property is the subject of a development application, Council may seek to have those structures removed, as a part of the development or redevelopment of the site.
- All structures constructed within the 2050 Hazard Zone shall:
 - a. Be compatible with the coastal hazards identified;

- b. Be set back as far landward as practicable;
- c. Not give rise to any increased hazard to other public or private property;
- d. Be designed to structurally withstand the designated hazard at the risk level required;
- e. Be designed with consideration given to the effects of larger events than the designated hazard;
- f. Be constructed in a manner or to a level which caters for the coastal hazards of wave runup and overtopping and inundation from increased water levels.
- Foundations for new development are to be designed by a professional engineer.
- Where structural consideration of the loads generated by coastal hazards is required the engineer shall take into account the forces generated by waves and increased water levels, possible dune slumping, loss of foundation support due to erosion, slope readjustment, and changing water table as well as the normal structural and foundation considerations.

3.2.3 Additions, Renovations Alterations and Maintenance

- Additions or alterations to existing buildings will be considered on their merits. Consideration will be given to the location of the erosion escarpment, the type of building involved and access to the site. Additions or alterations will be considered where there will be no adverse effect on the ability of the building or buildings to be removed in an emergency.
- A development application which proposes a 50% or greater increase in the gross floor area compared with that of the existing building will not be approved unless that portion of the existing building seaward of the 2050 Hazard Line is removed.
- Any alteration or renovation of a building seaward of the 2050 Hazard Line, where more than 50% of the existing building (GFA) is to be demolished (and re-built seaward of the 2050 Hazard Line), will not be permitted.
- Any addition, alteration, or renovation of a building in the 2050 Hazard Zone shall be restricted to the following:
 - a. where the gross floor area of the existing building is less than 100 m^2 extensions that will make the gross floor area no greater than 100 m^2 , and
 - b. where the gross floor area of the existing building is 100 m² or more 15% of the gross floor area of the existing building at the date of commencement of this DCP.
- There shall be no addition or alteration of a building within 20 metres of the current escarpment.

3.2.4 Car Parking

- Open car park areas and carports (i.e. at least three sides are open) will be considered at existing ground level.
- Basement car parking will not be permitted.

3.2.5 Other Development

- Development that is temporary, or can be relocated or sacrificed (such as decks), non-habitable, detached, light weight structures associated with outdoor living areas, storage or landscaping may be considered within the 2050 Hazard Zone where these do not prejudice relocation of other buildings on the site.
- Only uses are permitted that by their nature have to be within the 2050 Hazard Zone e.g. surf life saving and marine rescue observation structures, picnic tables or similar.

- Development that is of a community nature, which relates to the use of the beachfront, may be considered, provided that any building is easily removable (or sacrificial) and does not require a major extension to a service main.
- Development for the purposes of coastal access stairs, fences, cycleways, walking trails, picnic facilities or other facilities will be designed to be removable (or sacrificed) in the event they are damaged by wave action, inundation from the sea, and/or erosion.

3.2.6 General

- Any suitable sand excavated during the course of building and re-development work shall have all deleterious material removed and shall be placed on the adjacent beach at a location approved by the Council. It will need to be assessed as suitable by Council and placed at no charge to Council.
- Development must be carried out in a manner that maintains the safety of the public and not damage public or private property.
- The development must not involve any physical works that will exacerbate the seven coast line hazards as defined in the NSW government Coastline Management Manual.

3.3 2100 Hazard Zone

3.3.1 Land Affected by this Part

Any development on land located seaward of the 2100 Hazard Line and landward of the 2050 Hazard Line referred to on Figure 1.

3.3.2 General

- The precautionary principle should be applied to development which may pose serious or irreversible environmental damage to ensure that environmental degradation can be avoided, remedied or mitigated. Development proposals shall include strategies to avoid or mitigate potential adverse environmental effects.
- Ensure that new buildings and foreshore infrastructure on the coast are positioned to avoid risk of damage from coastal processes and, where possible, avoid the need for physical structures to protect development from potential damage caused by natural physical processes on the coast.
- No building is to be located within 20 metres of the current erosion escarpment.
- Any permissible development will be subject to a Coastal Risk Management Report.
- Development is permitted on private land subject to design by a professional engineer to accommodate future erosion and potential inundation from increased sea levels.
- Development in the 2100 Hazard Zone must demonstrate that it has been designed to:
 - a. Avoid or minimise exposure to immediate coast line hazards.
 - b. Provide for the safety of residents, workers or other onsite occupants from risks associated with coastal processes.
 - c. Not adversely affect the safety of the public off-site as a result of the development.
 - d. Not increase coastal risks to adjoining properties or properties in the vicinity of the site.
 - e. Ensure infrastructure, services and utilities on-site maintain their function and achieve their intended design performance.
 - f. Accommodate natural coastal processes including those associated with projected sea level rise.
 - g. Protect coastal ecosystems from development impacts.

- h. Maintain or improve existing public beach, foreshore or waterfront access and amenity.
- Structural elements including foundations, footings and slabs for new buildings to be designed by a professional engineer.
- Where structural consideration of the loads generated by coastal hazards is required the engineer shall take into account the forces generated by waves and increased water levels, possible dune slumping, loss of foundation support due to erosion, slope readjustment, and changing water table as well as the normal structural and foundation considerations.
- A minimum setback of 6 metres landward from 2050 Hazard Line applies for all new development in the 2100 Hazard Zone.
- Basement car parking can be provided behind the 2050 Hazard Line and must have all access, ventilation
 and any other potential water entry points at safe levels as determined by a professional engineer and a
 clearly signposted inundation free pedestrian evacuation route from the basement or bunded area
 separate to the vehicular access ramps.

3.4 Subdivision

• Subdivision of land will not be permitted where additional dwelling entitlements will be created in the 2100 Hazard Line Zone, the 2050 Hazard Zone or the Immediate Hazard Zone.

3.5 Beach Protection Works

Coastal protection works that modify the effect of inundation from increased water levels and wave action on the development site, may be permitted subject to the applicant demonstrating the following:

- The works will not have any significant adverse effects on the longshore and onshore/offshore sediment transport processes at the site.
- The works minimise the potential to cause erosion or exacerbate existing erosion problems for neighbouring properties (public or private).
- In the case of an existing protection structure, suitably qualified professional/s with appropriate expertise in the applicable areas of engineering has certified the structural integrity and competency of the works for their intended purpose and for the design storm event.

3.6 Vegetation Management

- All vegetated dunes, whether existing or created as part of coastal protection measures shall be managed and maintained so as to protect the dune system from damage both during construction of the development and as a result of subsequent use during the life of the development.
- Wherever present, remnant vegetation shall be appropriately rehabilitated and maintained for the life of the development to stabilise the sand available as a buffer for future storm erosion processes and minimise the likelihood of inundation from increased water levels (as determined by a coastal engineer).

4. Information to be supplied with the application

Applications in different hazard zones require different types of supporting information in relation to coastal erosion risk (Figure 3).




Figure 3 Typical Requirements for Development Applications

Note: Adapted from Department of Planning 2010

4.1 Areas seaward of the 2100 hazard line

For areas seaward of the 2100 Hazard Line the following may be required. Please consult with Council prior to lodgement.

- Coastal Risk Management Report (see Section 4.4 below);
- a specialist coastal engineering report;
- geotechnical report indicating the sub-strata and the type of foundations and footings required (if proposed);
- a structural engineering report addressing the coastline hazards up to the design storm event and the ramifications and expectations for coastal events of greater magnitude;
- a structural engineering report showing:
 - o the materials of construction:
 - o principal dimensions of the main structural elements;
 - o top and bottom levels of foundations, footings or piles; and
 - illustrations of the events (erosion from the sea, inundation from increased water levels, wave action on the structure) considered in the design.

4.2 DA information requirements in all hazard zones

Applicants submitting Development Applications (DA's) for development in areas within all hazard zones must demonstrate that the proposal satisfies the controls within this DCP (as well as Council's other planning controls). In order to do so, the following information is to be submitted with the DA, as part of the Statement of Environmental Effects (SEE), as appropriate to the scale and location of the proposal. This information is in addition to Council's standard information and lodgement requirements for DA's.

Information outlining the nature and type of proposed development including:

- nature, bulk, scale and location of proposed development; and
- proposed use and occupation of buildings, and those on adjoining land.
- Plans drawn to a scale of not less than 1:1500 by a licensed surveyor, showing the following information to illustrate the position and configuration of the proposed development in relation to coastal risks including:
 - location of the existing and proposed buildings in relation to the property boundaries and the nearest coastal hazard line seaward of the development;
 - Levels of the existing and proposed buildings relative to AHD including foundation levels, floor levels, ceiling levels and overall height.
 - Existing ground levels around the perimeter of the proposed buildings relative to AHD;
 - Foundation type; and
 - Existing topographic levels of the site to a vertical accuracy of 0.1m and a horizontal spacing sufficient to pick up all the features of the land, relative to AHD.
 - Existing topographic levels of the area seaward of the site between the seaward property boundary and the line of mean high water springs, relative to AHD.

Information that demonstrates whether the development proposal:

- is consistent with the relevant coastline risk management plan; and
- is consistent with the controls in this DCP that relates to coastal issues.

4.3 Survey Details

In addition to the requirement to lodge survey details with the Development Application, the Survey Plan prepared by a Registered Surveyor must also indicate the following:

- The location of existing buildings or structures in relation to the property boundaries and hazard lines;
- The foundation levels, floor levels, ceiling heights, and overall heights of all existing buildings or structures to be retained;
- Hazard Lines;
- 0.1 metre contour intervals across the entire property and the area seaward of the site between the seaward property boundary and the line of mean high water springs; and
- All levels must be relative to Australian Height Datum (AHD).

4.4 Coastal Risk Management Report

A Coastal Risk Management Report is to be submitted for all development on land that is seaward of the 2100 line. This report is to be prepared by suitably qualified coastal engineering and structural engineering consultants and must consider and address the Coastal Risk Management Report Guidelines.

4.5 Possible Development Scenarios

In order to make this DCP easier to interpret, a range of possible development scenarios are shown in Figure 4 and Figure 5 to demonstrate development that may be acceptable in the 2050 and 2100 Hazard Zone. The scenarios shown are the following:

- 1. New deck and small additional room on an old house which spans two zones.
- 2. An addition (> %50 of GFA), with partial demolition of that part of the dwelling seaward of the 2050 Line and house shifted landward to be completely in the 2100 Hazard Zone.
- 3. Two small houses (in two hazard zones) demolished and a single dwelling with equivalent GFA constructed in a landward position entirely within the 2100 hazard Zone with a large deck and pool on the seaward side.
- 4. Landward addition to an existing dwelling in the 2100 Hazard Zone.
- 5. Renovation with no additions in the 2100 Hazard Zone.
- 6. Demolition of a dwelling partly in the 2100 Hazard Zone and new dwelling mostly in the 2100 Hazard Zone.
- 7. New large deck.
- 8. Re subdivision of two lots (no new dwelling entitlements) and construction of moveable dwellings al within the 2100 Hazard Zone.




Figure 4 Current Residential Development Scenario




Figure 5 Possible Future Residential Development Scenarios

Appendix A Coastal Hazard Line Maps



400

600 Meters



Notes: A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT CONTROL PLAN **COASTAL HAZARD LINES** Section B25 2050 Hazard line TWEED SHIRE COUNCIL **Coastal Hazards** 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.1 Sheet 1 of 26 N Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_1 _040_20110117





Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES 2050 Hazard line 2100Hazard line Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.

GDA

Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56




SHIRE COUNCIL

TWEED DEVELOPMENT CONTROL PLAN

Section B25 Coastal Hazards


Coastal Hazard Lines Map Figure 1.2 Sheet 2 of 26





400

600 Meters



Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.


Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT CONTROL PLAN **COASTAL HAZARD LINES** Section B25 2050 Hazard line TWEED SHIRE COUNCIL **Coastal Hazards** 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.3 Sheet 3 of 26 N Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_3 _040_20110117



400

600 Meters



Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT CONTROL PLAN **COASTAL HAZARD LINES** Section B25 2050 Hazard line **TWEED** SHIRE COUNCIL **Coastal Hazards** 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.4 Sheet 4 of 26 N Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_4 _040_20110117



400

600 Meters



Notes:


A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT CONTROL PLAN **COASTAL HAZARD LINES** Section B25 2050 Hazard line **TWEED** SHIRE COUNCIL **Coastal Hazards** 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.5 Sheet 5 of 26 Ν Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_5 _040_20110117





Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES 2050 Hazard line 2100Hazard line Immediate Hazard line N Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.

GDA


Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56




TWEED DEVELOPMENT **CONTROL PLAN**

Section B25 **Coastal Hazards**


Coastal Hazard Lines Map Figure 1.6 Sheet 6 of 26





400

600 Meters



Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.


Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT **CONTROL PLAN COASTAL HAZARD LINES** Section B25 2050 Hazard line TWEED **Coastal Hazards** SHIRE COUNCIL 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.7 Sheet 7 of 26 Ν Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_7 _040_20110117



400

600 Meters




Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT CONTROL PLAN **COASTAL HAZARD LINES** Section B25 2050 Hazard line **TWEED** SHIRE COUNCIL **Coastal Hazards** 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.8 Sheet 8 of 26 N Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_8 _040_20110117



Section B25

400

Map identification number: DCP_B25_CHL_9 _040_20110117

600 Meters




Notes:


A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.



GDA



400

600 Meters



Notes: A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT CONTROL PLAN **COASTAL HAZARD LINES** Section B25 2050 Hazard line **TWEED** SHIRE COUNCIL **Coastal Hazards** 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.10 Sheet 10 of 26 Ν Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_10_040_20110117





Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line

2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.



Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56



TWEED

SHIRE COUNCIL


TWEED DEVELOPMENT CONTROL PLAN

Section B25 Coastal Hazards

Coastal Hazard Lines Map

Figure 1.11

Sheet 11 of 26



Map identification number: DCP_B25_CHL_11_040_20110117





Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line

2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.





Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56






CONTROL PLAN









Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line

2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.

GDA

Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56




TWEED

SHIRE COUNCIL

TWEED DEVELOPMENT CONTROL PLAN

Section B25 **Coastal Hazards**

Coastal Hazard Lines Map Figure 1.13 Sheet 13 of 26







Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

- 2050 Hazard line
- 2100Hazard line
 - Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.



Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56



N

Projection: GDA 1994 MGA Zone 56

Section B25

CONTROL PLAN

Coastal Hazards

400

Scale : 1:4,000 @ A3


600 Meters

Coastal Hazard Lines Map Figure 1.14 Sheet 14 of 26

100 200

Map identification number: DCP_B25_CHL_14_040_20110117





Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES 2050 Hazard line 2100Hazard line Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.

> Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56


GDA



TWEED DEVELOPMENT CONTROL PLAN

Section B25 Coastal Hazards

Coastal Hazard Lines Map Figure 1.15 Sheet 15 of 26








TWEED DEVELOPMENT

CONTROL PLAN




Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.



COASTAL HAZARD LINES

GDA

Section B25 TWEED **Coastal Hazards** SHIRE COUNCIL Coastal Hazard Lines Map Figure 1.16 Sheet 16 of 26 N 100 200 400 600 Meters Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map identification number: DCP_B25_CHL_16_040_20110117



400

600 Meters



Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.


Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT CONTROL PLAN **COASTAL HAZARD LINES** Section B25 2050 Hazard line TWEED **Coastal Hazards** SHIRE COUNCIL 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.17 Sheet 17 of 26 N Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_17_040_20110117



400

600 Meters



Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT **CONTROL PLAN COASTAL HAZARD LINES** Section B25 2050 Hazard line **TWEED Coastal Hazards** SHIRE COUNCIL 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.18 Sheet 18 of 26 Ν Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_18_040_20110117





Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line


2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.



Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56



Projection: GDA 1994 MGA Zone 56 100 200


Map identification number: DCP_B25_CHL_19_040_20110117

400

Scale : 1:4,000 @ A3


600 Meters











Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line

2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.



Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56





SHIRE COUNCIL

TWEED DEVELOPMENT **CONTROL PLAN**

Section B25 **Coastal Hazards**

Coastal Hazard Lines Map Figure 1.21 Sheet 21 of 26







Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line

2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.

GDA


Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56



Section B25 **Coastal Hazards**

CONTROL PLAN


Coastal Hazard Lines Map Figure 1.22 Sheet 22 of 26





400

600 Meters




Notes:


A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

TWEED DEVELOPMENT CONTROL PLAN **COASTAL HAZARD LINES** Section B25 2050 Hazard line **TWEED Coastal Hazards** SHIRE COUNCIL 2100Hazard line Coastal Hazard Lines Map Immediate Hazard line Figure 1.23 Sheet 23 of 26 N Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. 100 200 Boundaries shown should be considered approximate only. Scale : 1:4,000 @ A3 Projection: GDA 1994 MGA Zone 56 Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56 **GDA** Map identification number: DCP_B25_CHL_23_040_20110117





Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line

2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.

GDA

Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56




SHIRE COUNCIL


CONTROL PLAN Section B25

Coastal Hazards

Coastal Hazard Lines Map Figure 1.24 Sheet 24 of 26







Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line

2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.



Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56



SHIRE COUNCIL

Projection: GDA 1994 MGA Zone 56

TWEED DEVELOPMENT CONTROL PLAN



Coastal Hazard Lines Map Figure 1.25 Sheet 25 of 26


100 200


Map identification number: DCP_B25_CHL_25_040_20110117

400

Scale : 1:4,000 @ A3

600 Meters





Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

COASTAL HAZARD LINES

2050 Hazard line

2100Hazard line

Immediate Hazard line

Cadastre: 02 February, 2011 © Land and Property Management Authority (LPMA) & Tweed Shire Council. Boundaries shown should be considered approximate only.



Map Projection: Universal Transverse Mercator Horizontal Datum: Geodetic Datum of Australia 1994 Grid: Map Grid of Australia, Zone 56



TWEED

SHIRE COUNCIL

Projection: GDA 1994 MGA Zone 56



Section B25 Coastal Hazards

Coastal Hazard Lines Map Figure 1.26 Sheet 26 of 26 N

100 200

Map identification number: DCP_B25_CHL_26_040_20110117

400

Scale : 1:4,000 @ A3

600 Meters



Oustomer Service | 1300 292 872 | (02) 6670 2400

tsc@tweed.nsw.gov.au www.tweed.nsw.gov.au

Fax (02) 6670 2429 POBox 816 Murwillumbah NSW 2484