

Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
Update of Tweed Shire Coastal Hazard Lines August 2010
Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
Tweed Shire Coastal Hazards November 2013
Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
Aerial imagery was captured in May 2012
© The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
© Land and Property Information (LPI) & Tweed Shire Council.
Boundaries shown should be considered approximate only.


Coastal Hazard Lines Map
Figure 1.1
Sheet 1 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Scale: 1:4,000 @ A3

GDA
Map Projection: Universal Transverse Mercator
Horizontal Datum: Geodetic Datum of Australia 1994
Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_1_040_20140321



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been surveyed corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
Figure 1.2
 Sheet 2 of 26



TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Scale: 1:4,000 @ A3

0 50 100 Meters

GDA Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_2_040_20140321



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.


Coastal Hazard Lines Map
Figure 1.3
Sheet 3 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards



0 50 100 Meters
 Scale : 1:4,000 @ A3
 Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_3_040_20140321



Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines
 August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards
 November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
 Figure 1.5
 Sheet 5 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards


Scale: 1:4,000 @ A3

Map Projection: Universal Transverse Mercator
Horizontal Datum: Geodetic Datum of Australia 1994
Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_5_040_20140321



Coastal Hazard Lines Map
Figure 1.6
Sheet 6 of 26



Notes:
A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
Update of Tweed Shire Coastal Hazard Lines August 2010
Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)


- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
Tweed Shire Coastal Hazards November 2013
Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
Aerial imagery was captured in May 2012
© The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
© Land and Property Information (LPI) & Tweed Shire Council.
Boundaries shown should be considered approximate only.

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards




GDA
Map Projection: Universal Transverse Mercator
Horizontal Datum: Geodetic Datum of Australia 1994
Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_6_040_20140321



Coastal Hazard Lines Map
 Figure 1.7
 Sheet 7 of 26



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd


AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map Identification number: DCP_B25_CHL_7_040_20140321



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line


DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
 Figure 1.8
 Sheet 8 of 26


TWEED DEVELOPMENT CONTROL PLAN
 Section B25
 Coastal Hazards



Map identification number: DCP_B25_CHL_8_040_20140321



SOUTH
PACIFIC
OCEAN



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.
 The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.
 Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
Figure 1.9
 Sheet 9 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Scale: 1:4,000 @ A3


0 50 100 Meters

N

GDA

Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map Identification number: DCP_B25_CHL_9_040_20140321



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been surveyed corrected and are presented for guidance.

- Coastal Hazards Line (2010)**
- Immediate Hazard Line
 - 2050 Hazard Line
 - 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

- Coastal Hazards Line (2014)**
- - - Immediate Hazard Line
 - - - Maximum 2050 Hazard Line
 - - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd


CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
 Figure 1.10
 Sheet 10 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map Identification number: DCP_B25_CHL_10_040_20140321



Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

- Coastal Hazards Line (2010)**
- Immediate Hazard Line
 - 2050 Hazard Line
 - 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

- Coastal Hazards Line (2014)**
- - - Immediate Hazard Line
 - - - Maximum 2050 Hazard Line
 - - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
 Figure 1.11
 Sheet 11 of 26

TWEED DEVELOPMENT CONTROL PLAN
 Section B25
 Coastal Hazards

Scale: 1:4,000 @ A3


0 50 100 Meters

Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_11_040_20140321



SOUTH
PACIFIC
OCEAN



Notes:
A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been surveyed corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
Update of Tweed Shire Coastal Hazard Lines August 2010
Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
Tweed Shire Coastal Hazards November 2013
Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
Aerial imagery was captured in May 2012
© The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
© Land and Property Information (LPI) & Tweed Shire Council.
Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
Figure 1.12
Sheet 12 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

0 50 100 Meters
Scale : 1:4,000 @ A3

Map Projection: Universal Transverse Mercator
Horizontal Datum: Geodetic Datum of Australia 1994
Grid: Map Grid of Australia, Zone 56



DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd


AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Management Authority (LPMA) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.




Coastal Hazard Lines Map
 Figure 1.13
 Sheet 13 of 26

TWEED DEVELOPMENT CONTROL PLAN


Section B25 Coastal Hazards



TWEED SHIRE COUNCIL



Map identification number: DCP_B25_CHL_13_040_20140321



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been surveyed corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line


DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
Figure 1.14
Sheet 14 of 26


TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Map identification number: DCP_B25_CHL_14_040_20140321



SOUTH
PACIFIC
OCEAN



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.
 The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.
 Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.


Coastal Hazard Lines Map
 Figure 1.15
 Sheet 15 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

0 50 100 Meters
 Scale: 1:4,000 @ A3

Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_15_040_20140321



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
 Figure 1.16
 Sheet 16 of 26


TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Scale : 1:4,000 @ A3

0 50 100 Meters

GDA Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_16_040_20140321



Notes:

A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
Update of Tweed Shire Coastal Hazard Lines August 2010
Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line


DATA SOURCE
Tweed Shire Coastal Hazards November 2013
Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
Aerial imagery was captured in May 2012
© The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
© Land and Property Information (LPI) & Tweed Shire Council.
Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
Figure 1.17
Sheet 17 of 26


TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards



Map identification number: DCP_B25_CHL_17_040_20140321



SOUTH
PACIFIC
OCEAN



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.
 The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.
 Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line


DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd


CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
Figure 1.18
Sheet 18 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards



Map identification number: DCP_B25_CHL_18_040_20140321



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines
 August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards
 November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
 Figure 1.19
 Sheet 19 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Scale: 1:4,000 @ A3

0 50 100 Meters

GDA Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_19_040_20140321



- Coastal Hazards Line (2010)**
- Immediate Hazard Line
 - 2050 Hazard Line
 - 2100 Hazard Line
- Coastal Hazards Line (2014)**
- - - Immediate Hazard Line
 - - - Maximum 2050 Hazard Line
 - - - Maximum 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd


AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Management Authority (LPMA) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.



Coastal Hazard Lines Map
 Figure 1.20
 Sheet 20 of 26

TWEED DEVELOPMENT CONTROL PLAN

Section B25 Coastal Hazards

N

0 20 40 60 80 100 Meters


Scale: 1:4,000 @ A3

Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_20_040_20140321



SOUTH
PACIFIC
OCEAN



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.
 The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.
 Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)
 — Immediate Hazard Line
 - - - 2050 Hazard Line
 - - - 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)
 - - - Immediate Hazard Line
 - - - Maximum 2050 Hazard Line
 - - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd
CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.


Coastal Hazard Lines Map
 Figure 1.22
 Sheet 22 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25 Coastal Hazards

Scale: 1:4,000 @ A3
 0 50 100 Meters
 Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56
 Map identification number: DCP_B25_CHL_22_040_20140321



SOUTH
PACIFIC
OCEAN



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.
 The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.
 Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
 Figure 1.23
 Sheet 23 of 26


TWEED DEVELOPMENT CONTROL PLAN
 Section B25
 Coastal Hazards

N ↑

0 50 100 Meters
 Scale : 1:4,000 @ A3

GDA
 Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Map identification number: DCP_B25_CHL_23_040_20140321



Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.

Coastal Hazards Line (2010)

- Immediate Hazard Line
- 2050 Hazard Line
- 2100 Hazard Line

DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line


DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd

AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Information (LPI) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Coastal Hazard Lines Map
Figure 1.24
Sheet 24 of 26

TWEED DEVELOPMENT CONTROL PLAN
Section B25
Coastal Hazards





DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd


AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 24 March, 2014
 © Land and Property Management Authority (LPMA) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.



Coastal Hazard Lines Map
Figure 1.25
 Sheet 25 of 26

TWEED DEVELOPMENT CONTROL PLAN

Section B25 Coastal Hazards



TWEED SHIRE COUNCIL

N

0 20 40 60 80 100 Meters


Scale: 1:4,000 @ A3

Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56

Projection: GDA 1994
 MGA Zone 56

GDA

Map identification number: DCP_B25_CHL_25_040_20140321



DATA SOURCE
 Update of Tweed Shire Coastal Hazard Lines August 2010
 Prepared By: The University of New South Wales Water Research Laboratory

Coastal Hazards Line (2014)

- - - Immediate Hazard Line
- - - Maximum 2050 Hazard Line
- - - Maximum 2100 Hazard Line

DATA SOURCE
 Tweed Shire Coastal Hazards November 2013
 Prepared By: BMT WBM Pty Ltd


AERIAL IMAGERY 2012 SOURCE
 Aerial imagery was captured in May 2012
 © The data contained in the product are the property of AAM Pty Ltd

CADASTRE: 21 March, 2014
 © Land and Property Management Authority (LPMA) & Tweed Shire Council.
 Boundaries shown should be considered approximate only.

Notes:
 A zone of reduced bearing capacity will exist landward of a receding erosion scarp. Definition of the extent of the zone of reduced bearing capacity will require professional assessment on a site by site basis. An additional allowance in this regard should be included in considering the immediate hazard zone.

The accuracy of predicting these hazard lines is subject to many uncertainties. The existence of bedrock, indurated sands and/or structures may impact on the realisation of the hazards.

Coastal features and structures have been observed and digitally plotted using photogrammetric techniques. Hazard lines have been determined and plotted relative to the photogrammetry data. Cadastral boundaries as shown may not have been survey corrected and are presented for guidance.



Coastal Hazard Lines Map
Figure 1.26
 Sheet 26 of 26

TWEED DEVELOPMENT CONTROL PLAN

Section B25 Coastal Hazards




N

0 20 40 60 80 100
 Meters

Scale: 1:4,000 @ A3

Map Projection: Universal Transverse Mercator
 Horizontal Datum: Geodetic Datum of Australia 1994
 Grid: Map Grid of Australia, Zone 56



Map identification number: DCP_B25_CHL_26_040_20140321