

South Murwillumbah Floodplain Risk Management Study & Plan

Final Report Volume 2 of 2: Figures

Revision 5 October 2019



FIGURES

- Figure 1: South Murwillumbah Study Area 6 Figure 2: Key Hydraulic Controls Figure 3: Historic Flood Marks Figure 4: Digital Elevation Model
- Figure 5: **Environmental and Heritage Constraint** 6

Floodwater Depth Maps

- Figure 6: Floodwater Depths for the 20% AEP Flood
- Figure 7: Floodwater Depths for the 5%AEP Flood
- Figure 8: Floodwater Depths for the 1%AEP Flood
- Figure 9: Floodwater Depths for the 0.2% AEP Flood

Flood Level Maps

- Figure 10: Floodwater Levels for the 20% AEP Flood
- Figure 11: Floodwater Levels for the 5% AEP Flood
- Figure 12: Floodwater Levels for the 1%AEP Flood
- Figure 13: Floodwater Levels for the 0.2% AEP Flood 6

Floodwater Velocity Maps

- Figure 14: Floodwater Velocities for the 20% AEP Flood
- 6 Figure 15: Floodwater Velocities for the 5% AEP Flood
- Figure 16: Floodwater Velocities for the 1% AEP Flood
- Figure 17: Floodwater Velocities for the 0.2% AEP Flood

• Figure 18: Floodwater Surface Profiles for the Tweed River

Flood Hazard Maps

- Figure 19: Hazard Categories for the 1% AEP Flood
- Figure 20: Hazard Categories for the 0.2% AEP Flood

Hydraulic Category Maps

- Figure 21: Hydraulic Categories for the 1% AEP Flood
- Figure 22: Hydraulic Categories for the 0.2% AEP Flood

Emergency Response Precinct Classifications

- Figure 23: Emergency Response Precinct Classifications for the 1% AEP Flood
- Figure 24: Emergency Response Precinct Classifications for the 0.2% AEP Flood

Duration of Inundation Maps

Figure 25: Duration of Inundation for the	20%
---	-----

- Figure 26: Duration of Inundation for the 5%AEP Flood
- Figure 27: Duration of Inundation for the 1%AEP Flood
- Figure 28: Duration of Inundation for the 0.2% AEP Flood

Miscellaneous Maps

- Figure 29: High Flow Map for the 1% AEP Flood
- Figure 30: Frequency of Above Floor Inundation
- Figure 31: Critical Flood Zone
- Figure 32: Flood Planning Category Constraint Mapping

AEP Flood

Concept Designs for Flood Risk Management Options

- 6 Figure 33: Concept Design for the Durrington Street flow path (FM1)
- Concept Design for the South Murwillumbah High Flow Bypass Option 1 (FM2) 6 Figure 34:
- 6 Figure 35: Concept Design for the South Murwillumbah High Flow Bypass Option 2 (FM3)
- 6 Figure 36: Concept Design for Earthworks across Lot 4 DP 591604 Quarry Road (FM4)
- Figure 37: Concept Design for Earthworks across Lot 4 DP 591604 Quarry Road, Two Adjoining Lots and Airfield (FM5)
- 6 Figure 38: Concept Design for Terrain Modifications between River Street and Tweed River (FM6)
- Concept Design for the South Murwillumbah Levee Rehabilitation (FM7) Figure 39:
- Figure 40: Concept Design for Raising the South Murwillumbah Levee to 20% AEP and Raising Height of 6 the CBD Levee (FM8)
- Figure 41: Concept Design for Raising the South Murwillumbah Levee to 5% AEP and Raising Height of the CBD Levee (FM9)
- ٠ Figure 42: Concept Design for the Alma Street modification (FM10)
- Figure 43: Concept Design to Modify the Railway Embankment (FM11)
- Concept Design to Elevate Tweed Valley Way (FM12) Figure 44:
- 6 Figure 45: Concept Design for Tweed River Dredging (FM13)
- Concept Design for Blacks Drain Modifications (FM14) 6 Figure 46:
- Figure 47: Concept Design for Condong Creek Channel Modifications (FM15)
- Concept Design for the Condong Creek High Flow Bench (FM16) Figure 48:
- Concept Design for the High-Level Condong Creek Outlet (FM17) ٠ Figure 49:
- 6 Suggested Modifications to Voluntary House Purchase Scheme (PM1) Figure 50:
- Figure 51: Commercial Properties that Would Benefit from Temporary Flood Barriers (PM2)
- 6 Figure 52: Concept Design for Industrial Land Swap Option 1 (PM3)
- Concept Design for Industrial Land Swap Option 2 (PM4) Figure 53:
- Potential Properties Identified for Lot Consolidation (PM5) Figure 54:

Catchment Simulation Solutions

Floodplain Risk Management Plan

Figure 55: South Murwillumbah Floodplain Risk Management Plan





















FLOODWATER DEPTH MAPS















FLOOD LEVEL MAPS

FLOODWATER VELOCITY MAPS

FLOOD HAZARD MAPS

LEGEND

Hazard Categories

- H1 generally safe for people, vehicles and buildings
- H2 unsafe for small vehicles
- H3 unsafe for vehicles, children and elderly H4 - unsafe for people and
- H4 unsafe for people and vehicles
- H5 unsafe for people or vehicles. Buildings require special design H6 - unsafe for people or vehicles. All buildings vulnerable to failure

Notes:

Aerial photograph date: 2016 Only areas exposed to depths of more than 0.15m are shown in the mapping

Figure 19: Hazard Categories for the 1% AEP Flood

Prepared By:

Catchment Simulation Solutions Suite 10.01, 70 Phillip St Sydney, NSW 2000

File Name: Figure 19 - Hazard Categories for the 1% AEP Flood wor

LEGEND

Hazard Categories

- H1 generally safe for people, vehicles and buildings
- H2 unsafe for small vehicles
- H3 unsafe for vehicles, children and elderly H4 - unsafe for people and
- H4 unsafe for people and vehicles
- H5 unsafe for people or vehicles. Buildings require special design H6 - unsafe for people or vehicles. All buildings vulnerable to failure

Notes:

Aerial photograph date: 2016 Only areas exposed to depths of more than 0.15m are shown in the mapping

Figure 20: Hazard Categories for the 0.2% AEP Flood

Prepared By:

Catchment Simulation Solutions Suite 10.01, 70 Phillip St Sydney, NSW 2000

File Name: Figure 20 - Hazard Categories for the 0.2% AEP Flood.wor

HYDRAULIC CATEGORY MAPS

EMERGENCY RESPONSE PRECINCT CLASSIFICATIONS

DURATION OF INUNDATION MAPS

MISCELLANEOUS MAPS

CONCEPT DESIGNS FOR FLOOD RISK MANAGEMENT OPTIONS

